

RIKIMARI, M.T., F.T. GALYSH and R.F. SHUMARD. 1961. Some pharmacological aspects of a toxic substance from oocysts of the coccidium Eimeria tenella. Journal of Parasitology 47: 407-412.

ROSE, M.E. 1959. Serological reactions in Eimeria stiedae infection of the rabbit. Immunology 2: 112-122.

ROSE, M.E. 1961. The complement-fixation test in hepatic coccidiosis of rabbits. Immunology 4: 346-353.

ROSE, M.E. 1967a. Immunity to Eimeria brunetti and Eimeria maxima infections in the fowl. Parasitology 57: 363-370.

ROSE, M.E. 1967b. Immunity to Eimeria tenella and Eimeria necatrix infections in the fowl. I. Influence of the site of infection and the stage of the parasite. II. Cross-protection. Parasitology 57: 567-583.

ROSE, M.E. 1973. Immunity. In D.M. Hammond and P.L. Long (eds.), The Coccidia. Baltimore. University Park Press. pp. 295-341.

ROSE. M.E. 1974a. The early development of immunity to Eimeria maxima in comparison with that to Eimeria tenella. Parasitology 68: 35-45.

ROSE, M.E. 1974b. Immune responses to the Eimeria: recent observations. Proceedings of the symposium on coccidia and related organisms, Guelph, Ontario, 1973. pp. 92-118. University of Guelph, Guelph, Ontario.

ROSE, M.E. 1976. Coccidiosis: immunity and the prospect for prophylactic immunization. Veterinary Record 98: 481-484.

ROSE, M.E. 1977. Eimeria tenella: skin hypersensitivity to injected antigen in the fowl. Experimental Parasitology 42: 129-141.

POUT, D.D. 1967a. Villous atrophy and coccidiosis. Nature 213:

306-307.

POUT, D.D. 1967b. The reaction of the small intestine of the chicken

to infection with Eimeria spp. In N.G. Elwert (ed.), The Reaction

of the Host to Parasitism. Veterinary Medical Review. pp. 28-38.

Universitäts-und Verlagsbuchhandlung Marsburg-Lahn.

PRESTON-MAFHAM, R.A. and A.H. SYKES. 1967. Changes in permeability of

the mucosa during intestinal coccidiosis infection in the fowl.

Experientia 23: 972-973.

PRESTON-MAFHAM, R.A. and A.H. SYKES. 1970. Changes in body weight and

intestinal absorption during infection with Eimeria acervulina in

the chicken. Parasitology 61: 417-424.

RANDALL, C.J., G. GRANT and I.H. SUTHERLAND. 1971. Coccidiosis with

concurrent Marek's disease. The Veterinary Record 88: 618.

REID, W.M. 1975. Protozoa. In M.S. Hofstad, B.W. Calvek, C.F.

Helmboldt, W.M. Reid, H.W. Yoder, Jr. (eds.), Diseases of Poultry.

The Iowa State University Press, Ames. pp. 942-976.

REID, W.M. and M. PITIOS. 1965. The influence of coccidiosis on feed

and water intake of chickens. Avian Diseases 9: 343-348.

REMMLER, O. and J.K. MCGREGOR. 1964. A method to facilitate isolation

of single coccidial oocysts. Journal of Parasitology 50: 294.

REUBEN, C., K. SUNDARAM and G.P. PHONDKE. 1978. Suppression of primary

immune response by heterologous anti-lymphocyte sera. Immunology

34: 223-230.

RICE, J.T. and W.M. REID. 1973. Coccidiosis immunity following early

and late exposure to Marek's disease. Avian Diseases 17: 66-71.

OIKAWA, H. and H. KAWAGUCHI. 1974. Effect of coccidial infection on acetylcholine-induced contraction of the digestive tract of chickens. I. Eimeria tenella and E. acervulina. Japanese Journal of Veterinary Science 36: 433-440.

PACE, J.L., B.O. BARGER, D.L. DAWE and W.L. RAGLAND. 1978. Specific antigens of chicken thymus. European Journal of Immunology 8: 671-678.

PAL, S.G. 1967. Mitochondrial involvement in the host-parasite relationship. Arkiv for Zoologi 20: 79-83.

PALLADINO, M.A. and C.J. THORBECKE. 1977. Cooperation between immune T cells and normal macrophages in the expression of tumor immunity in chickens. In K. James, B. McBride, A. Stuart (eds.), The Macrophage and Cancer. University of Edinburgh, Medical School, Teviot Place, Edinburgh. pp. 86-96.

PATTILLO, W.H. 1959. Invasion of the cecal mucosa of the chicken by sporozoite of Eimeria tenella. The Journal of Parasitology 45: 253-258.

PEARSALL, N.N. and R.S. WEISER. 1968. The macrophage in allograft immunity. 1. Effect of silica as a specific macrophage toxin. Journal of the Reticuloendothelial Society 5: 107-120.

PELLERDY, L.P. 1974. Coccidia and Coccidiosis. 2nd edition. Verlag Paul Parey. Berlin und Hamburg.

PIERCE, A.E. and P.L. LONG. 1965. Studies on acquired immunity to coccidiosis in bursaless and thymectomized fowl. Immunology 9: 427-439.

PIERCE, A.E., P.L. LONG and C. HORTON-SMITH. 1962. Immunity to Eimeria tenella in young fowl (*Gallus domesticus*). Immunology 5: 129-152.

- NAIR, M.K. 1973. The early inflammatory reaction in the fowl. A light microscopical, ultrastructural and autoradiographic study. *Acta Veterinaria Scandinavica* 42 (Supplementum): 1-103.
- NATT, M.P. 1959. The effect of cecal coccidiosis on the blood cells of the domestic fowl. 3. The changes in the leucocyte picture during the course of the infection. *Experimental Parasitology* 8: 182-187.
- NATT, N.P. and C.A. HERRICK. 1955. The effect of cecal coccidiosis on the blood cells of the domestic fowl. 1. A comparison of the changes in the erythrocyte count resulting from hemorrhage in infected and mechanically bled birds. The use of the hematocrit value as an index of the severity of the hemorrhage resulting from the infection. *Poultry Science* 43: 1100-1106.
- NORTON, C.C. and H. HEIN. 1976. Eimeria maxima: a comparison of two laboratory strains with a fresh isolate. *Parasitology* 72: 345-354.
- NOZIK, R.A. and G.R. O'CONNOR. 1969. The so-called toxin of toxoplasma. *American Journal of Tropical Medicine and Hygiene* 18: 511-515.
- NYBERG, P.A., D.H. BAVER and H.S. PERDUE. 1958. Carbon dioxide as the initial stimulus for excystation of Eimeria tenella oocysts. *Journal of Protozoology* 15: 144-148.
- O'DALY, J.A. and P.M. ASO. 1979. Trypanosoma cruzi, Leishmania donovani and L. mexicana: extract factor that lyses mammalian cells. *Experimental Parasitology* 47: 222-231.

MESFIN, G.M. and J.E.C. BELLAMY. 1979. Thymic dependence of immunity to Eimeria falciformis var. pragensis in mice. Infection and Immunity 23: 460-464.

MICHAEL, E. 1973. The reaction of the fowl intestinal mucosa to infection with Eimeria species E. acervulina and E. necatrix. Parasitology 67: 12.

MICHAEL, E. 1974. Morphological and histochemical observations of the regenerated mucosa of the duodenum of the fowl after subtotal villous atrophy. Histochemistry 38: 361-371.

MICHAEL, E. and R.D. HODGE. 1971. The pathogenic effects of Eimeria acervulina: a comparison of single and repeated infection. Veterinary Record 89: 329-333.

MICHAEL, E. and R.D. HODGE. 1972. The pathogenic effects of Eimeria necatrix: a comparison of single and repeated infections. Veterinary Record 91: 258-262.

MIMS, C.A. 1977. The Pathogenesis of Infectious Diseases. pp. 132-162. Academic Press, London, New York, San Francisco.

MORITA, C., Y. TSUTSUMI and M. SOEKAWA. 1972. Detection of humoral antibody for Eimeria tenella infection by a dye test. Zentralblatt fur Veterinarmedizin B 19: 782-784.

MORITA, C., Y. TSUTSUMI and M. SOEKAWA. 1973. Migration inhibition test of splenic cells of chickens infected with Eimeria tenella. Journal of Parasitology 59: 199-200.

MUKKUR, T.K.S. and R.E. BRADLEY. 1969. Eimeria tenella: packed blood cell volume, hemoglobin and serum proteins of chickens correlated with the immune state. Experimental Parasitology 26: 1-16.

- LYKINS, J.D., A.R. SMITH, H.E. VOSS and M. RISTIC. 1971. Physical separation of three soluble malarial antigens from the serum of chickens infected with Plasmodium gallinaceum. The American Journal of Tropical Medicine and Hygiene 20: 394-401.
- MAHMOUD, A.A.F., K.S. WARREN and D.C. BOROS. 1973. Production of a rabbit antimouse eosinophil serum with no cross-reaction to neutrophil. Journal of Experimental Medicine 137: 1526-1531.
- MAHMOUD, A.A.F., K.S. WARREN and R.C. GRAHAM, JR. 1975. Anti-eosinophil serum and the kinetics of eosinophilia in Schistosomiasis mansoni. The Journal of Experimental Medicine 142: 560-574.
- MAJOR, J.R., JR. and M.D. RUFF. 1978a. Disaccharidase activity in the intestinal tissue of broilers infected with coccidia. Journal of Parasitology 64: 706-711.
- MAJOR, J.R., JR. and M.D. RUFF. 1978b. Eimeria spp: Influence of coccidia on digestion (Amylolytic activity) in broiler chickens. Experimental Parasitology 45: 234-240.
- MANSON-SMITH, D.F., R.G. BRUCE and D.M.V. PARROTT. 1979. Villous atrophy and expulsion of intestinal Trichinella spiralis are mediated by T cells. Cellular Immunology 47: 285-292.
- MCDERMOTT, J.J. and L.A. STAUBER. 1954. Preparation and agglutination of merozoite suspension of the chicken coccidium, Eimeria tenella. Journal of Parasitology 40 (Supplement): 23-24.
- MCDougald, L.R., T. KARLSSON and W.M. RIED. 1979. Interaction of infectious bursal disease and coccidiosis in layer replacement chickens. Avian Diseases 23: 999-1005.

- LONG, P.L. and B.J. MILLARD. 1977. Eimeria: immunization of young chickens kept in litter pens. *Avian Pathology* 6: 77-97.
- LONG, P.L. and B.J. MILLARD. 1978. Rejection of Eimeria by foreign host. *Parasitology* 78: 239-247.
- LONG, P.L. and B.S. MILNE. 1971. The effect of an artificial interferon inducer on Eimeria maxima in the chicken. *Parasitology* 62: 295-302.
- LONG, P.L. and M.E. ROSE. 1965. Active and passive immunization of chickens against intravenously induced infections of Eimeria tenella. *Experimental Parasitology* 16: 1-7.
- LONG, P.L. and M.E. ROSE. 1976. Growth of Eimeria tenella in vitro in macrophages from chicken peritoneal exudates. *Zeitschrift fur Parasitenkunde* 48: 291-294.
- LONG, P.L. and J.G. ROWELL. 1958. Counting oocysts of chicken coccidia. *Laboratory Practice* 7: 515-519.
- LONG, P.L., J. JOHNSON, R.D. WYATT. 1980. Eimeria tenella: clinical effects in partially immune and susceptible chickens. *Poultry Science* 59: 2221-2224.
- LONG, P.L., L.P. JOYNER, B.B. MILLARD and C.C. NORTON. 1976. A guide to laboratory techniques used in the study and diagnosis of avian coccidiosis. *Folia Veterinaria Latina* 6: 201-217.
- LONG, P.L., M.E. ROSE and A.E. PIERCE. 1963. Effect of fowl sera on some stages in the life cycle of Eimeria tenella. *Experimental Parasitology* 14: 210-217.
- LOTZ, J.C. and R.G. LEEK. 1970. Failure of development of the sexual phase of Eimeria intricata in heavily inoculated sheep. *Journal of Protozoology* 17: 414-417.

LONG, P.L. 1967. Studies on Eimeria praecox, Johnson, 1930, in the chicken. Parasitology 57: 351-361.

LONG, P.L. 1968a. The effect of breed of chicken on resistance to Eimeria infections. British Poultry Science 9: 71-78.

LONG, P.L. 1968b. The pathogenic effects of Eimeria praecox and Eimeria acervulina in the chicken. Parasitology 58: 691-700.

LONG, P.L. 1970a. Some factors affecting the severity of infection with Eimeria tenella in chicken embryos. Parasitology 60: 435-447.

LONG, P.L. 1970b. Development (schizogony) of Eimeria tenella in the liver of chickens treated with corticosteroid. Nature 225: 290-291.

LONG, P.L. 1973. Pathology and pathogenicity of coccidial infections. In D.H. Hammond, P.L. Long (eds.), The Coccidia. University Park Press, Baltimore. Butterworths, London. pp. 251-294.

LONG, P.L. 1974. Experimental infection of chickens with two species of Eimeria isolated from the Malaysia jungle fowl. Parasitology 69: 337-347.

LONG, P.L. 1978. The problem of coccidiosis: General considerations. In P.L. Long, K.H. Boorman and B.M. Freeman (eds.), Avian Coccidiosis. British Poultry Science Ltd. pp. 3-28.

LONG, P.L. and C. HORTON-SMITH. 1968. Coccidia and coccidiosis in the domestic fowl. In Advances in Parasitology, Number 6. pp. 313-325. Academic Press, New York and London.

LONG, P.L. and B.J. MILLARD. 1968. Eimeria: effect of metilorpindol and methyl benzoquate on endogenous stages in the chicken. Experimental Parasitology 23: 331-338.

LEATHEN, W.D. and W.C. BURNS. 1968. Duration of acquired immunity of the chicken to Eimeria tenella infection. Journal of Parasitology 54: 227-232.

LEE, D.L. and P.L. LONG. 1972. An electron microscopical study of Eimeria tenella grown in the liver of the chick embryo. International Journal of Parasitology 2: 55-58.

LEE, E.H. and M.A. FERNANDO. 1978. Immunogenicity of a single sporocyst of Eimeria maxima. Journal of Parasitology 64: 483-485.

LEE, E.H. and O.K. ONDERKA. 1978. Incidence of clinical coccidiosis in chickens in the Ontario Veterinary Services Branch records, 1973-1977. The Canadian Veterinary Journal 19: 237-243.

LEVINE, L. and C.A. HERRICK. 1954. The effect of the protozoan Eimeria tenella on the ability of the chicken to do muscular work when its muscles are stimulated directly or indirectly. Journal of Parasitology 40: 525-531.

LEVINE, L. and C.A. HERRICK. 1957. Effect of cecal coccidiosis on the ability of Plymouth Rocks to do muscular work. Poultry Science 36: 24-29.

LIBURD, E.M., and J.L. MAHRT. 1971. Acquired immunity to Eimeria nieschulzi in thymectomized rats. Journal of Protozoology 18 (Supplement): 30.

LIBURD, E.M., H.F. PABST and W.D. ARMSTRONG. 1972. Transfer factor in rat coccidiosis. Cellular Immunology 5: 487-489.

LIOTTA, L., S. ABE, P. ROBEY and G. MARTIN. 1979. Preferential digestion of basement membrane collagen by an enzyme derived from a metastatic murine tumor. Proceedings of the National Academy of Science, U.S.A. 76: 2268-2272.

KOUWENHOVEN, B. and KUIL, H. 1976. Demonstration of circulating antibodies to Eimeria tenella by the indirect immunofluorescent antibody test using sporozoites and second-stage schizonts as antigen. *Veterinary Parasitology* 2: 283-292.

KOUWENHOVEN, B. and C.J.G. VANDER HORST. 1969. Strongyle acid intestinal content and lowered protein, carotene and vitamin A blood levels in Eimeria acervulina infected chickens. *Zeitschrift fur Parasitenkunde* 32: 347-353.

KOUWENHOVEN, B. and C.J.G. VANDER HORST. 1970. Significance and possible cause of the lowered intestinal pH during Eimeria acervulina infection in the fowl. *Journal of Parasitology* 56: (4) Section II, Part 1, p. 191-192.

KOUWENHOVEN, B. and C.J.G. VANDER HORST. 1972. Disturbed intestinal absorption of vitamin A and carotenes and the effect of a low pH during E. acervulina infection in the domestic fowl (*Gallus domesticus*). *Zeitschrift fur Parasitenkunde* 38: 152-161.

KRASSNER, S.M. 1963. Factors in host susceptibility and oocysts infectivity in Eimeria acervulina infection. *The Journal of Protozoology* 10: 327-333.

KUIL, H., B. KOUWENHOVEN, S. DANKERT-BRANDO and N.V. KOL. 1977. The effect of inoculation dose on the development of antibodies as measured by the indirect fluorescent antibody (IFA) test against Eimeria maxima and E. acervulina. *Veterinary Parasitology* 3: 33-40.

LEATHEM, W.D. and W.C. BURNS. 1967. Effects of the immune chicken on the endogenous stages of Eimeria tenella. *Journal of Parasitology* 53: 180-185.

- KHEYSEN, Y.M. 1972. Life Cycles of Coccidia of Domestic Animals. K.S. Todd, Jr. (ed.). Translated by F.K. Plous, Jr., University Park Press, Baltimore. London. Tokyo.
- KIERSZENBAUM, F. 1975. Enhancement of resistance and suppression of immunization against experimental Trypanosoma cruzi infection by Corynebacterium parvum. Infection and Immunity 12: 1227-1229.
- KLESIUS, P.H. and F. KRISTENSEN. 1977. Bovine transfer factor: Effect on bovine and rabbit coccidiosis. Clinical Immunology and Immunopathology 7: 240-252.
- KLESIUS, P.H., T.T. KRAMER, D. BURGER and A. MALLEY. 1975. Passive transfer of coccidium oocysts antigen and diphtheria toxoid hypersensitivity in calves across species barriers. Transplantation Proceeding 7: 449-452.
- KLESIUS, P.H., T.T. KRAMER and J.C. FRANDSEN. 1976. Eimeria stiedai: delayed hypersensitivity reaction in rabbit coccidiosis. Experimental Parasitology 39: 59-68.
- KLESIUS, P.H., F. KRISTENSEN, A.L. ELSTON and O.C. WILLIAMSON. 1977. Eimeria bovis: evidence for a cell mediated immune response in bovine coccidiosis. Experimental Parastiology 41: 480-490.
- KLESIUS, P.H., A.L. ELSTON, W.H. CHAMBERS and H.H. FUNDENBERG. 1979. Resistance to coccidiosis (Eimeria ferrisi) in C57BL16 mice: Effect of immunization and transfer factors. Clinical Immunology and Immunopathology 12: 143-149.
- KOUWENHOVEN, B. 1972. The significance of infection, dose, body weight, and age of the host on the partogenic effect of Eimeria acervulina in the fowl. Zeitschrift fur Parasitenkunde 39: 255-268.

JORTNER, B.S. and W.R. ADAMS. 1971. Turpentine-induced inflammation in the chicken. A light and electron microscope study with emphasis on the macrophage, epithelioid cell, multi-nucleated giant cell reaction. *Avian Diseases* 15: 533-550.

JOYNER, L.P. 1969. Immunological variation between two strains of Eimeria acervulina. *Parasitology* 59: 725-732.

JOYNER, L.P. and C.C. NORTON. 1969. A comparison of two laboratory strains of Eimeria tenella. *Parasitology* 59: 907-913.

JOYNER, L.P. and C.C. NORTON. 1973. The immunity arising from continuous low-level infection with Eimeria tenella. *Parasitology* 67: 333-340.

JOYNER, L.P. and C.C. NORTON. 1976. The immunity arising from continuous low-level infection with Eimeria maxima and Eimeria acervulina. *Parasitology* 72: 115-125.

KARNOVSKY, M.J. 1965. A formaldehyde-glutaraldehyde fixative of high osmolarity for use in electron microscopy. *Journal of Cell Biology* 27: 137A.

KELLER, R. 1977. Mononuclear phagocytes and antitumor resistance: A discussion. In K. James, B. McBirde, A. Stuart (eds.), *The Macrophage and Cancer*, University of Edinburgh, Medical School, Teviot Place, Edinburgh. pp. 31-49.

KENDALL, J.B. and F.S. MCCULLOUGH. 1952. Relationships between sulphamezathine therapy and the acquisition of immunity to Eimeria tenella. *Journal of Comparative Pathology and Therapeutics* 62: 116-124.